



**Replacement  
Inflatable  
Packers &  
Elements PTY LTD**

[www.ripe.com.au](http://www.ripe.com.au)

## Hydrostoppers


Hydrostoppers are manufactured in Perth, Australia by RIPE inflatable packers as a replacement inflatable packer element and are fully interchangeable with Aqua-Tights, and AquaStop™. The packer elements (bladders) have an increase inflation diameter of up to 180%, in a pipe size of 150mm in diameter. Tested using NATA certified equipment and warranted against material and labour defects.

RIPE's Hydrostoppers are used to plug or seal off water / sewer lines in areas where it is not possible to turn the water flow off, particularly useful for repairs and maintenance of pipes.

RIPE's Hydrostoppers allow you to 'localise' the area to a small section instead of blocking an entire pipeline and will significantly reduce the cost of repair.

Installation is easy and simple since the water supply does not need to be shut off. Hydrostoppers are installed through a 65mm gate/ball valve set at a 45 degree angle on a stainless tapping clamp. Typically inserted into 100-150mm PVC pipes then inflated with water to a predetermined pressure.

RIPE's Hydrostoppers are available in 745mm OAL with sizes in 45mm and 55mm diameter. Hydrostoppers are a Kevlar™ reinforced natural rubber construction with minimum grade 304 stainless steel ferrules and are typically inflated to a maximum pressure of 300psi in a 150mm pipe.






**Replacement  
Inflatable  
Packers &  
Elements PTY LTD**

## Hydrostoppers

Hole Size (mm)	Working pressure (psi)	Water Capacity (lt)
145	350	6.775
145	400	6.765
160	300	7.39
160	400	7.905






**Replacement  
Inflatable  
Packers &  
Elements PTY LTD**

www.ripe.com.au

# Hydrostoppers

55mm aqua tight 145mm hole



55mm aqua tight 160mm hole

